Version 1.2, Dec 2002

Reviewe	r/Date Tig	e (univapam 6-18-10)
S	r. Review/Dat	
	Lab Report #	TAL-Westfield 360-26874-
IADEP	Project a	# G107100016-12

		O	C-GW-16R	only				
1.0	Laboratory Deliverable R	equirements						
	1.1 Laboratory Information Check items received.	on: Was all of the following	g provided in the lab	poratory report? Yes	No []	N/A []	Comments:	
	☑ Name of Laboratory	☑ Certification ID #	☑ Address	☑ Project ID	☑ Phone #	☑ s	ample identification – Field	f and Laboratory
	Client Information:	☑ Name	☑ Address	☑ Client Contact	(IDs must b			
ACTI	ON: If no, contact lab for	submission of missing or	illegible informat	ion.				
	1.2 Laboratory Report	Certification Statement		Yes	M No ∐	N/A [_]	Comments:	
	Does the laboratory repo	ort include a completed Ai	nalytical Report Ce	rtification in the requi	red format?			
ACTIC	DN : If no, contact lab for so	ubmission of missing certi	fication or certificat	ion with correct forma	nt.			
	1.3 Laboratory Case I	Narrative:		Yes	NO L	N/A []	Comments:	
	Narrative serves as ar	n exception report for the pro	ject and method QA	/QC performance. 🛭 🖻		es an explana fication Staten	tion of each discrepancy onent.	n the
ACTIO	DN : If no, contact lab for se	ubmission of missing or ill	egible information.					
	1.4 Chain of Custody (C	COC)		Yes	No [N/A []	Comments:	
	Does the laboratory report	include a copy of the compl	eted Chain of Custoc	ly forms containing all	samples in this SI	OG?		
	NOTE: Olin receives and	maintains the original COC	•					
ACTIO	ON: If no, contact lab for sub	omission of completed COC.						

1.5 Sample Receipt Information (Cooler Receipt Form): Were each of the following tasks completed and recorded upon receipt of the sample(s) into the laboratory?	Yes	No []	N/A [_]	Comments:
Sample temperature confirmed: must be 1° - 10° C. (If samples were sent by courier and delivered of	on the same d	lay as colle	ction, tempera	ture requirement does not apply).
☑ Container type noted ☑ Condition observed ☑ Field and lab IDs cross referenced				
ACTION: If no, contact lab for submission of missing or incomplete documentation.				
1.5.1 Were the correct bottles and preservatives used?		Ven 40 041	CONTROL E	
Water - 40 mL VOA vial/HCL to pH<2, cool to 4°C Soil - 5 gram Encore™/cool to 4°C or 40 mL VOA vial with field preservation of sodium bisulfate (low-level) or methanol (high-level) or field preservation in water if soils are reactive to sodium bisulfate (i.e. alkaline conditions, excessive humic acid content, etc.)	Yes 🔟	No [_]	N/A	Comments:
ACTION: If no, inform senior chemist. Document justification for change in container/veccooler temperature exceeds 10°C. Rejection of data requires professional judgment	olume (if ap	pplicable)	; qualify both	n positive data and non-detect data (J) if
ACTION: If each VOA vial for a sample contains air bubbles or the VOA vial analyzed con	25			(J) and reject nondetects (R).
1.5.2 Were all samples delivered to the laboratory without breakage?	Yes [No [_]	N/A []	Comments:
1.5.3 Does the <i>Cooler Receipt Form</i> or Lab Narrative indicate other problems with sample receipt, condition of the samples, analytical problems or special circumstances affecting the quality of the data?	Yes []	No I	N/A [_]	Comments:
1.6 Sample Results Section: Was the following information supplied in the laboratory report for each sample?	Yes 🔽	No [_]	N/A [_]	Comments:
Field ID and Lab ID	tion Factor		W/A % moisture o	r solids Reporting limits
☐ Analysis method ☐ Preparation method ☐ Date of preparation/extraction/digestion of concentrations ☐ Units (soils must be reported in dry weight)	clean-up and	l analysis, v	vhere applicat	ole Matrix Grarget analytes and
ACTION: If no, contact lab for submission of missing or incomplete information.	60			

	1.7 QA/QC Information: Was the following information provided in the laboratory report Yes [No [N/A [Comments: for each sample batch?
Me	thod blank results
ACTIO	ON: If no, contact lab for submission of missing or incomplete information.
2.0	Holding Times
	Have any technical holding times, determined from date of collection to date of analysis, been exceeded? Yes No N/A Comments:
	For water samples, the holding time is 7 days from sampling for unpreserved samples and 14 days for preserved samples.
	For soil samples, methanol preservation required with a holding time of 14 days. If an Encore™ sampler was used, the lab must <i>preserve</i> the sample within 48 hours. Analytical holding time from time of preservation is 14 days.
NOTE	: List samples that exceed hold time with # of days exceeded on checklist
ACTIO	ON: If technical holding times are exceeded, qualify all positive results (J). Use professional judgment to reject (R) data for grossly exceeded.
3.0	Laboratory Method
	3.1 Was the correct laboratory method used? Yes No N/A Comments:
	Purge and Trap Water: 5030B Soil: 5035 Volatile Petroleum Hydrocarbons MADEP VPH 98-1
ACTIO	ON: If no, contact lab to provide justification for method change compared to the requested method. Contact senior chemist to inform Client of change or to request variance

		/			
	3.2 Are the practical quantitation limits the same as those specified by the \square SOW \square QAPP \square Lab \square MADEP	Yes [No []	N/A [_]	Comments:
	NOTE: The MADEP QA/QC Guidelines provides PQLs for volatile petroleum hydrocarbons. See MADEP PQLs vs. the PQLs listed in the QAPP.				
ACTIO	N: If no, evaluate change with respect to sample matrix, preparation, dilution, moisture, etc. If	sample PQI	, is indeterr	ninate, contac	t lab for explanation
	3.3 Are the appropriate parameter results present for each sample in the SDG?	Yes	No [_]	N/A []	Comments:
	NOTE: The MADEP QA/QC Guidelines requires a minimum compound reporting list for volatile organic compounds.				
	3.4 If dilutions were required, were dilution factors reported?	Yes [No [_]	N/A [_]	Comments:
	NOTE: MADEP guidance states that if a diluted and an undiluted analysis is performed, the laboratory should report results for the lowest dilution within the valid calibration range for each analyte.				
ACTIO	N: If no, contact the lab for submission.				
4.0	Method Blanks		<i>/</i> .		
	4.1 Are the Method Blank Summaries present?	Yes [i]	No []	N/A [_]	Comments:
ACTIO	N: If no, call the laboratory for submission of missing data.		,		
	4.2 Was a method blank analyzed for each analytical batch of 20 samples or less?	Yes	No [_]	N/A []	Comments:
			1100		

CTIC	N: If no	, document discrepancy in case narrative and contact lab for justification. Consult ser	nior chemist	for action ne	eeded.				
	4.3 Is th	he method blank less than the PQL? (See attached table for PQLs).	Yes V	No []	N/A []	Comments:			
	4.4 Do accordi	any method blanks have positive results for VPH parameters? Qualify data ing to the following:	Yes [_]	No I	N/A []	Comments:			
	For VI	PH contaminants:							
	in the	w blank and sample chromatograms to evaluate the nature of the detection blank and associated samples. Use professional judgment. The following s may be applied:							
	If the sample concentration is $< 5 \times$ blank value, flag sample result non-detect "U" at the PQL or the concentration reported if greater than the PQL.								
	If the sa	ample concentration is $> 5 \times$ blank value, no qualification is needed							
	ON: If ar nalifiers.	ny blank has positive results, list all the concentrations detected and flagging level (fla	agging level :	= 10x or 5 ×	< blank value)	on the checklist. List	all affected samples and		
5.0	<u>Labor</u>	ratory Control Standard							
	5.1	Was a laboratory control standard (LCS) run with each analytical batch of 20 samples or less?	Yes 🔟	No [_]	N/A []	Comments:			
		ON: Call laboratory for LCS form submittal. If data are not available, (R) data associated with that batch.		.ar					
	5.2	Is a LCS Summary Form present?	Yes 🔽	No [_]	N/A []	Comments:			

	ACTIO	N: If no, contact lab for resubmission of missing data.			/	
	5.3	Is the recovery of any analyte outside of control limits?	Yes []	No	N/A [_]	Comments:
	NOTE:	A <u>full</u> target, second source LCS is required by MADEP.				
		MADEP guidelines list LCS recovery limits as 70-130 except for naphthalene. tratory must identify any other analytes that routinely exceed 70-130 percent.				
ACTIO detect re above).	esults with	covery is above the upper limit, qualify all positive sample results within the batch as (J). If LCS recovery is <10%, positive and non-detect results are	rejected (R)	unless the	e QC limit fo	or that compound is below 10% (flag as
	5.4	Are 80% of LCS recoveries within laboratory control limits?	Yes 🔽	No [_]	N/A []	Comments:
	judgme above o	ON: If 80% of LCS recoveries are not within limits, use professional nt and consult Senior Chemist. If more than half of the recoveries are control limits, qualify all positive results as (J). If more than half of the ies are below control limits, batch may require rejection and reanalysis				
6.0	Matrix					
ACTIO		ere project-specific MS/MSDs collected? List project samples that were spiked.	Yes []	No [V	N/A [_]	Comments:
ACTIO	6.2 ON: If n	Is the MS/MSD Recovery Form present? o, contact lab for resubmission of missing data.	Yes []	No []	N/A	Comments:
994.75287444TB	6.3	Were matrix spikes analyzed at the required frequency of 1 per 20 samples per matrix?	Yes []	No []	N/A [Comments:
ACTIO	ON: If a	ny matrix spike data are missing, call lab for resubmission.				e e

					/	•	
6	.4	Are any VPH spike recoveries ou	ntside of the QC limits?	Yes [No [J N/A ☑	Comments:	
NOTE:	%R :	= <u>(SSR-SR)</u> x 100% SA	Where: SSR = Spiked sample result SR = Sample result				
			SA = Spike added				
N	NOTE:	A <u>full</u> target, second source MS/N	ISD is required by MADEP.				
N	NOTE:	MADEP guidelines list MS/MSD r	ecovery limits as 70-130 except for naphth	alene.			
	NOTES		an MS/MSD pair is outside of the control limits y the laboratory on a non-project sample, no qu			rofessional judgment	for the MS/MSD flags.
ecoveries	of the l	MSD flags only apply to the sample MS and MSD are lower than the low rults are considered unusable and flag	spiked. If the recoveries of the MS and MS er control limit but > 30%, qualify both positive ged (R).	D exceed the upper over results and non-det	control limit, quects (J). If the M	nalify positive results AS/MSD recovery is	as estimated (J). If the < 30% and the sample
		atory control limits apply when spike	ed sample results fall within the normal calibration			2	oncentrations, the data
6	5.5	Are any RPDs for MS/MSD reco	overies outside of the QC limits?	Yes [] No [I N/AI	Comments:	
ľ	NOTE:	$RPD = \frac{S-D}{(S+D)/2} \times 100\%$	Where: $S = MS$ sample result $D = MSD$ sample result				
NOTE:	MADE	P guidelines list MS/MSD RPD lim	hits for both water and soils as ≤ 50 .				
ACTION	N: If th	e RPD exceeds the control limit,	qualify positive results and non-detects (J)				
		poratory control limits apply whethe data are evaluated, but no flag	en spiked sample results fall within the sare applied.	normal calibration	range. If di	lutions are require	d due to high sampl
7.0 <u>s</u>	Surrog	ate Recoveries					
			: 9				

7 of 10

	Were VPH surrogate recoveries outside of laboratory limits for any sample or method blank? If yes, were samples re-analyzed?	Yes []	No [V]	N/A [_]	Comments:
	NOTE : $%R = QD \times 100\%$ Where: $S = MS$ sample result $D = MSD$ sample result				
	NOTE: MADEP guidelines list surrogate limits for both water and soils as 70-130% for both detectors.				
	ACTION : If recoveries are >10%, but fail to meet QC criteria: (1) For recoveries below the QC limit, qualify non-detects and positives (J), and (2) For recoveries above the QC limit, qualify only positives (J). If any surrogate recovery is <10% (unless the QC limits are below 10%, in which case, results are flagged as stated above), flag positives (J) and reject nondetects (R).				
	NOTE : If surrogate recoveries fail due to dilution, results are not flagged. Document on checklist and in the case narrative.				
8.0	Sampling Accuracy			·Z	
	Were trip blanks shipped with VOC samples and analyzed? TE: MADEP requires trip blanks per the following frequency:	Yes []	No 🗾	N/A [_]	Comments:
	Soil/Sediment Aqueous Drinking Water				
Ор	tion 1 Not Required Not Required 1 per cooler VOAs/VPH				
Ор	tion 3 1 per 10 samples 1 per 10 samples 1 per 10 samples				
				27	
	8.2 Do any trip blanks have positive results?	Yes []	No []	N/A	Comments:
ACTIO blank.	ON: Prepare a list of samples shipped in the same cooler as the contaminated				

contami		tory-derived. If re	d blank results to det sults are not lab-relate							
If the san	nple concentration is <	5 × blank value, flag s	ample result non-detect "U	J" at the PQL	or the conce	entration rep	ported if greater	than the PQL.		
If the san	nple concentration is >	5 × blank value, no qu	alification is needed.					2		
8.3 Were amb	oient blanks shipped wit	th VPH samples and a	nnalyzed?			/	N/A DA	()		
NOTE: MAL	DEP requires ambien	t (field) blanks per th	ne following frequency:		Yes []	No [V]	N/A [M]	Comments:		
	Soil/Sediment	Aqueous	Drinking Water							
Option 1	Not Required	Not Required	Not Required							
Option 3	1 per 10 samples	1 per 10 samples	1 per 10 samples							
8.4 Do a	ny ambient blanks have	e positive results?		t	Yes [_]	No []	N/A [Comments:	27	
ACTION: Prep	pare a list of samples	associated with the	contaminated blank (all	collected fr	om the site	on that da	y).			
			od and trip blank result the table above (8.2).	ts to determ	ne if conta	ıminant m	ay be laborato	ry- and/or ship	nent-derived. I	f result
	e rinsate blanks collect ed samples from the sen		ing rinsate blanks, obtain	a list of the	Yes []	No [N/A []	Comments:		
NOTE: MA	DEP does not specify	y the collection of ri	nsate blanks.							
8.6 Do a	ny rinsate blanks have p	positive results?			Yes []	No []	N/A [V	Comments:		
			s to determine if contact to the table above (8.2)		y be labora	atory-, am	bient-, or ship	oment-derived.	If results are	not lab-

0.0	Field Duplicates			/	
	9.1 Were field duplicate samples collected? Obtain a list of samples and their associated field duplicates.	Yes	No [N/A [_]	Comments:
	9.2 Were field duplicates collected per the required frequency?	Yes []	No [_]	N/A	Comments:
	OW ☐ QAPP ☐ MADEP Option 1(1 per 20) ☐ MADEP Option 3 (1 per 10)			,	
	9.3 Was the RPD \leq 50% for soils or waters? Calculate the RPD for all results and attach to this review.	Yes []	No []	N/A 🖸	Comments:
ACTIO	ON: RPD must be ≤50% for soil and water. Qualify data (J) for both sample results i	f the RPD o	exceeds 50	%.	
10.0	Application of Validation Qualifiers				
	Was any of the data qualified?	Yes []	No 🚺	/ N/A [_]	Comments:
	If so, apply data qualifiers directly to the DQE copy of laboratory report and flag pages for entry in database.				
REFE	RENCES				
LAW, 1	999, "Final Quality Assurance Project Plan, Olin Wilmington Property, 51 Eames Street, GA 30144. August 1999.	, Wilmingto	n, MA", LA	AW Engineeri	ng and Environmental Services, Kennesav
Massacl	nusetts Department of Environmental Protection (MADEP), 1998. "Method for the Determand Analysis; Office of Research and Standards; Bureau of Waste Site Cleanup; January 1998.	nination of V	Volatile Pet	roleum Hydro	carbons (VPH)"; Division of Environments
					. S